



Sum & Difference of Angles



$$\frac{x}{1} = \cos \beta$$

$$x = \cos \beta$$

$$\frac{y}{1} = \sin \beta$$

$$y = \sin \beta$$

By trigonometry

$$PQ^2 = 1^2 + 1^2 - 2 \times 1 \times 1 \times \cos(\alpha - \beta)$$

$$PQ^2 = 2 - 2 \cos(\alpha - \beta)$$

By coordinate geometry

$$PQ^2 = (\cos \alpha - \cos \beta)^2 + (\sin \alpha - \sin \beta)^2$$

$$PQ^2 = \cos^2 \alpha - 2 \cos \alpha \cos \beta + \cos^2 \beta + \sin^2 \alpha - 2 \sin \alpha \sin \beta + \sin^2 \beta$$

$$PQ^2 = 2 - 2 \cos \alpha \cos \beta - 2 \sin \alpha \sin \beta$$

$$\therefore 2 - 2\cos(\alpha - \beta) = 2 - 2\cos\alpha\cos\beta - 2\sin\alpha\sin\beta$$

$$\cos(\alpha - \beta) = \cos\alpha\cos\beta + \sin\alpha\sin\beta$$

Replace β with $-\beta$

$$\cos(\alpha + \beta) = \cos\alpha\cos(-\beta) + \sin\alpha\sin(-\beta)$$

$$\cos(-\beta) = \cos\beta \quad (\text{even function i.e. } f(-x) = f(x))$$

$$\sin(-\beta) = -\sin\beta \quad (\text{odd function i.e. } f(-x) = -f(x))$$

$$\cos(\alpha + \beta) = \cos\alpha\cos\beta - \sin\alpha\sin\beta$$

$$\cos(\alpha \pm \beta) = \cos\alpha\cos\beta \mp \sin\alpha\sin\beta$$

cos, cos, sin, sin



If it's not the sine, it's not the sign

Replace α with $90 - \alpha$

$$\cos(90 - \alpha - \beta) = \cos(90 - \alpha)\cos\beta + \sin(90 - \alpha)\sin\beta$$

$$\cos(90 - (\alpha + \beta)) = \cos(90 - \alpha)\cos\beta + \sin(90 - \alpha)\sin\beta$$

$$\sin(\alpha + \beta) = \sin\alpha\cos\beta + \cos\alpha\sin\beta$$

Replace β with $-\beta$

$$\sin(\alpha - \beta) = \sin\alpha\cos(-\beta) + \cos\alpha\sin(-\beta)$$

$$\sin(\alpha - \beta) = \sin\alpha\cos\beta - \cos\alpha\sin\beta$$

$$\sin(\alpha \pm \beta) = \sin\alpha\cos\beta \pm \cos\alpha\sin\beta$$

sin, cos, cos, sin



If it's the sine, it's the sign



$\tan(\alpha + \beta)$

$$\tan(\alpha + \beta) = \frac{\sin(\alpha + \beta)}{\cos(\alpha + \beta)}$$

$$\tan(\alpha + \beta) = \frac{\sin \alpha \cos \beta + \cos \alpha \sin \beta}{\cos \alpha \cos \beta - \sin \alpha \sin \beta}$$

$$\tan(\alpha + \beta) = \frac{\frac{\sin \alpha \cos \beta}{\cos \alpha \cos \beta} + \frac{\cos \alpha \sin \beta}{\cos \alpha \cos \beta}}{\frac{\cos \alpha \cos \beta}{\cos \alpha \cos \beta} - \frac{\sin \alpha \sin \beta}{\cos \alpha \cos \beta}}$$

$$\tan(\alpha + \beta) = \frac{\tan \alpha + \tan \beta}{1 - \tan \alpha \tan \beta}$$

Replace β with $-\beta$

$$\tan(\alpha - \beta) = \frac{\tan \alpha + \tan(-\beta)}{1 - \tan \alpha \tan(-\beta)}$$

$$\tan(-\beta) = -\tan \beta$$


$$\tan(\alpha - \beta) = \frac{\tan \alpha - \tan \beta}{1 + \tan \alpha \tan \beta}$$

(odd function i.e. $f(-x) = -f(x)$)

$$\tan(\alpha \pm \beta) = \frac{\tan \alpha \pm \tan \beta}{1 \mp \tan \alpha \tan \beta}$$

tan plus tan

on one minus tan, tan



Sum and Difference of Angles

$$\sin(\alpha \pm \beta) = \sin \alpha \cos \beta \pm \cos \alpha \sin \beta$$

$$\cos(\alpha \pm \beta) = \cos \alpha \cos \beta \mp \sin \alpha \sin \beta$$

$$\tan(\alpha \pm \beta) = \frac{\tan \alpha \pm \tan \beta}{1 \mp \tan \alpha \tan \beta}$$

e.g. (i) Expand $\cos(2\alpha - 3\beta)$

$$\underline{\cos(2\alpha - 3\beta) = \cos 2\alpha \cos 3\beta + \sin 2\alpha \sin 3\beta}$$

(ii) Simplify $\frac{\tan 20^\circ + \tan 10^\circ}{1 - \tan 20^\circ \tan 10^\circ}$

$$\frac{\tan 20^\circ + \tan 10^\circ}{1 - \tan 20^\circ \tan 10^\circ} = \tan(20 + 10)$$

$$= \tan 30^\circ$$

$$= \underline{\frac{1}{\sqrt{3}}}$$

(iii) Find the exact value of $\sin 15^\circ$



$$\sin 15^\circ = \sin(45 - 30)$$

$$= \sin 45^\circ \cos 30^\circ - \cos 45^\circ \sin 30^\circ$$

$$= \left(\frac{1}{\sqrt{2}}\right)\left(\frac{\sqrt{3}}{2}\right) - \left(\frac{1}{\sqrt{2}}\right)\left(\frac{1}{2}\right)$$

$$= \frac{\sqrt{3} - 1}{2\sqrt{2}}$$

(iv) If $\sin \alpha = \frac{2}{3}$ and $\cos \beta = \frac{1}{4}$, find $\sin(\alpha + \beta)$



$$\begin{aligned}\sin(\alpha + \beta) &= \sin \alpha \cos \beta + \cos \alpha \sin \beta \\ &= \left(\frac{2}{3}\right)\left(\frac{1}{4}\right) + \left(\frac{\sqrt{5}}{3}\right)\left(\frac{\sqrt{15}}{4}\right) \\ &= \frac{2 + 5\sqrt{3}}{12}\end{aligned}$$

Exercise 14D; 1ade, 2bce, 5ac, 7, 9ac, 10ac, 12, 13ac, 16ab, 17, 23